INDEX TO AUTHORS

A

AMARAL, LEONARD, MORIBER, LOUIS G., and HIMES, MARION. The effect of cortisone on the volume and total protein content of mouse liver nuclei, 835

B

BASKIN, R. J. See DEAMER and BASKIN, 296
BAXANDALL, JANE. See HORVAT, BAXANDALL, and TOUSTER, 469
BEAMS, H. W. See KESSEL and BEAMS, 185
BEARD, MARGARET E., and NOVIKOFF, ALEX B. Distribution of peroxisomes (microbodies) in the nephron of the rat. A cytochemical study, 501
BELL, ALLEN L., and PEAKALL, DAVID B. Changes in fine structure during silk protein production in the ampullate gland of the spider *Araneus sericatus*, 284
BERKOWITZ, DANIEL M., KAKEFUDA, TSUYOSHI, and SPORN, MICHAEL B. A simple and rapid method for the isolation of enzymatically active HeLa cell nuclei, 851
BERNSTEIN, JAY. See GOLDFISCHER and BERNSTEIN, 253
BIBBIANI, CECILIA, TONGIANI, ROBERTO, and VIOLA-MAGNI, MARIA PIA. I. Quantitative determination of the amount of DNA per nucleus by interference microscopy, 444
BIGGS, D. R. See KELLERMAN, BIGGS, and LINNANE, 378
BLUM, J. J. See RAFF and BLUM, 831
BOK, DEAN. See YOUNG and BOK, 392
BRINKLEY, B. R., and HUMPHREY, RONALD M. Evidence for subchromatid organization in marsupial chromosomes. I. Light and electron microscopy of X-ray-induced side-arm bridges, 827
—. See HUMPHREY and BRINKLEY, 745
BRUNS, ROMAINE R. A symmetrical, extracellular fibril, 418
BUNGE, RICHARD P. See WHETSELL and BUNGE, 490
BUNYARATVEJ, SUKHUM. See REDDY, BUNYARATVEJ, and SVOBODA, 587
BURGESS, AMELIA H. See HENDLER, BURGESS, and SCHARFF, 715
BUTLER, LARRY G. See SCHICK and BUTLER, 235
BYSTROM, BARBARA G. See TRENCH, GREENE, and BYSTROM, 404

C

CAMPICHE, M. A. See KRAEHENBUHL and CAMPICHE, 345
CAPLAN, ARNOLD I. See HACKENBROCK and CAPLAN, 221
CARSTENSEN, E. L., COOPERSMITH, A., INGRAM, M., and CHILD, S. Z. Stability of erythrocytes fixed in osmium tetroxide solutions, 565
CHEN, I-LI, and YATES, ROBERT D. Electron microscopic radioautographic studies of the carotid body following injections of labeled biogenic amine precursors, 794
—, YATES, ROBERT D., and DUNCAN, DONALD. The effects of reserpine and hypoxia on the amine-storing granules of the hamster carotid body, 804
CHILD, S. Z. See CARSTENSEN, COOPERSMITH, INGRAM, and CHILD, 565
CLEMENTI, FRANCESCO, and PALADE, GEORGE E. Intestinal capillaries. II. Structural effects of EDTA and histamine, 706
COOPERSMITH, A. See CARSTENSEN, COOPERSMITH, INGRAM, and CHILD, 565
COX, M. C. L. See THALER, COX, and VILLEE, 846

D

DEAMER, D. W., and BASKIN, R. J. Ultrastructure of sarcoplasmic reticulum preparations, 296
DUNCAN, DONALD. See CHEN, YATES, and DUNCAN, 804

E

ELKIND, M. M., KANO, E., and SUTTON-GILBERT, H. Cell killing by actinomycin D in relation to the growth cycle of Chinese hamster cells, 366
ENGELMAN, DONALD M. See STOECKENIUS and ENGELMAN, 613
ENGER, M. D., and TOBEY, R. A. RNA synthesis in Chinese hamster cells. II. Increase in rate of RNA synthesis during G_1, 308
ERBE, JOHN. See PLAGEMANN, 766

F

FAHIMI, H. DARIUSH. See VENKATACHALAM and FAHIMI, 480
FALK, HEINZ. "Rough thylakoids": polysomes attached to chloroplast membranes, 582
FAWCETT, DON W., and MCNUTT, N. SCOTT. The ultrastructure of the cat myocardium. I. Ventricular papillary muscle, 1
—. See MCNUTT and FAWCETT, 46
FELDHERR, CARL M. A comparative study of nucleocytoplasmic interactions, 841
FRANKE, WERNER W., and SCHINKO, WERNER. Nuclear shape in muscle cells, 326
—. See SCHEER and FRANKE, 519

FUORTES, M. G. F. See LASANSKY and FUORTES, 241

G

GARDNER, ROBERT S. The use of Tricine buffer in animal tissue cultures, 320
GNÄGI, HANS RUDOLF. See WEIBEL, STÄUBLI, GNÄGI, and HESS, 68
GOLDFISCHER, SIDNEY, and BERNSTEIN, JAY. Lipofuscin (aging) pigment granules of the newborn human liver, 253
GOROVSKY, MARTIN A., and WOODARD, JOHN. Studies on nuclear structure and function in *Tetrahymena pyriformis*. I. RNA synthesis in macro- and micronuclei, 673
GREENE, RICHARD W. See TRENCH, GREENE, and BYSTROM, 404

H

HACKENBROCK, CHARLES R., and CAPLAN, ARNOLD I. Ion-induced ultrastructural transformation in isolated mitochondria. The energized uptake of calcium, 221
HELMS, JUDY. See HOLMES, HELMS, and MERCER, 262
HENDLER, RICHARD W., BURGESS, AMELIA H., and SCHARFF, RAYMOND. Respiration and protein synthesis in *Escherichia coli* membrane-envelope fractions. I. Oxidative activities with soluble substrates, 715
HESS, FELIX A. See WEIBEL, STÄUBLI, GNÄGI, and HESS, 68
HESS, ROBERT. See STÄUBLI, HESS, and WEIBEL, 92
HIMES, MARION. See AMARAL, MORIBER, and HIMES, 835
HOLMES, RICHARD, HELMS, JUDY, and MERCER, GRETCHEN. Cholesterol requirement of primary diploid human fibroblasts, 262
HORVAT, AGNES, BAXANDALL, JANE, and TOUSTER, OSCAR. The isolation of lysosomes from Ehrlich ascites tumor cells following pretreatment of mice with Triton WR-1339, 469
HOWELL, S. L., KOSTIANOVSKY, M., and LACY, P. E. Beta granule formation in isolated islets of Langerhans. A study by electron microscopic radioautography, 695
HUMPHREY, RONALD M., and BRINKLEY, B. R. Ultrastructural studies of radiation-induced chromosome damage, 745
—. See BRINKLEY and HUMPHREY, 827

I

INGRAM, M. See CARSTENSEN, COOPERSMITH, INGRAM, and CHILD, 565

J

JAGIELLO, GEORGIANA M. Meiosis and inhibition of ovulation in mouse eggs treated with actinomycin D, 571
JAIM-ETCHEVERRY, GUILLERMO, and ZIEHER, LUIS MARIA. Selective demonstration of a type of synaptic vesicle by phosphotungstic acid staining, 855

K

KADOTA, KEN. See KANASEKI and KADOTA, 202
KAKEFUDA, TSUYOSHI. See BERKOWITZ, KAKEFUDA, and SPORN, 851
KANASEKI, TOKU, and KADOTA, KEN. The "vesicle in a basket." A morphological study of the coated vesicle isolated from the nerve endings of the guinea pig brain, with special reference to the mechanism of membrane movements, 202
KANO, E. See ELKIND, KANO, and SUTTON-GILBERT, 366
KELLERMAN, G. M., BIGGS, D. R., and LINNANE, ANTHONY W. Biogenesis of mitochondria. II. A comparison of the effects of growth-limiting oxygen tension, intercalating agents, and antibiotics on the obligate aerobe *Candida parapsilosis*, 378
KELLY, A. M., and ZACKS, S. I. The histogenesis of rat intercostal muscle, 135
—, and ZACKS, S. I. The fine structure of motor endplate morphogenesis, 154
—, ROBERT E., and RICE, ROBERT V. Ultrastructural studies on the contractile mechanism of smooth muscle, 683
KESSEL, R. G., and BEAMS, H. W. Annulate lamellae and "yolk nuclei" in oocytes of the dragonfly, *Libellula pulchella*, 185
KIRKPATRICK, JOEL B. Stability of brain microtubules in homogenates, 600
KOSTIANOVSKY, M. See HOWELL, KOSTIANOVSKY, and LACY, 695
KRAEHENBUHL, J. P., and CAMPICHE, M. A. Early stages of intestinal absorption of specific antibodies in the newborn. An ultrastructural, cytochemical and immunological study in the pig, rat, and rabbit, 345
KRUSE, PAUL F., JR., WHITTLE, WILBUR, and MIEDEMA, ED. Mitotic and nonmitotic multiple-layered perfusion cultures, 113

L

LACY, P. E. See HOWELL, KOSTIANOVSKY, and LACY, 695
LASANSKY, A., and FUORTES, M. G. F. The site of origin of electrical responses in visual cells of the leech, *Hirudo medicinalis*, 241
LEDINGHAM, JANET M. See RAYNS, SIMPSON, and LEDINGHAM, 322
LENTZ, THOMAS L. Development of the neuromuscular junction. I. Cytological and cytochemical studies on the neuromuscular junction of differentiating muscle in the regenerating limb of the newt *Triturus*, 431
LEVENTHAL, MONIKA. See MAJNO, SHEA, and LEVENTHAL, 647
LIAU, MING C., and PERRY, ROBERT P. Ribosome precursor particles in nucleoli, 272
LIBANATI, CESAR M., and TANDLER, CARLOS J. The distribution of the water-soluble inorganic orthophosphate ions within the cell: accumulation in the nucleus. Electron probe microanalysis, 754
LINNANE, ANTHONY W. See KELLERMAN, BIGGS, and LINNANE, 378

M

MAJNO, GUIDO, SHEA, STEPHEN M., and LEVENTHAL, MONIKA. Endothelial contraction induced by histamine-type mediators. An electron microscopic study, 647

MALAWISTA, STEPHEN E., AND SATO, HIDEMI. Vinblastine produces uniaxial, birefringent crystals in starfish oocytes, 596

MARSLAND, DOUGLAS. See TILNEY and MARSLAND, 170

MCNUTT, N. SCOTT, and FAWCETT, DON W. The ultrastructure of the cat myocardium. II. Atrial muscle, 46

—. See FAWCETT and MCNUTT, 1

MENDELSON, MARTIN. Electrical and mechanical characteristics of a very fast lobster muscle, 548

MERCER, GRETCHEN. See HOLMES, HELMS, and MERCER, 262

MIEDEMA, ED. See KRUSE, WHITTLE, and MIEDEMA, 113

MILLWARD, G. R. Cellulose contamination: A possible source of error in the interpretation of previous experimental evidence for the α-keratin protofibril, 317

MORIBER, LOUIS G. See AMARAL, MORIBER, and HIMES, 835

N

NANNINGA, N. The preservation of the ultrastructure of *Bacillus subtilis* by chemical fixation as verified by freeze-etching, 733

NOVIKOFF, ALEX B. See BEARD and NOVIKOFF, 501

P

PALADE, GEORGE E. See CLEMENTI and PALADE, 706

PEAKALL, DAVID B. See BELL and PEAKALL, 284

PELC, S. R., and VIOLA-MAGNI, MARIA PIA. III. Decrease of labeled DNA in cells of the adrenal medulla after intermittent exposure to cold, 460

PERRY, ROBERT P. See LIAU and PERRY, 272

PLAGEMANN, PETER G. W. Choline metabolism and membrane formation in rat hepatoma cells grown in suspension culture. II. Phosphatidyl choline synthesis during growth cycle and fluctuation of mitochondrial density, 766

R

RAFF, E. C., and BLUM, J. J. Some properties of a model assay for ciliary contractility, 831

RAYNS, D. G., SIMPSON, F. O., and LEDINGHAM, JANET M. Ultrastructure of desmosomes in mammalian intercalated disc; appearances after lanthanum treatment, 322

REDDY, JANARDAN, BUNYARATVEJ, SUKHUM, and SVOBODA, DONALD. Microbodies in experimentally altered cells. IV. Acatalasemic (Cs^b) mice treated with CPIB, 587

RICE, ROBERT V. See KELLY and RICE, 683

RODMAN, TOBY C. Morphology and replication of intranucleolar DNA in polytene nuclei, 575

ROSENBLUTH, JACK. Sarcoplasmic reticulum of an unusually fast-acting crustacean muscle, 534

—. Ultrastructure of dyads in muscle fibers of *Ascaris lumbricoides*, 817

ROSS, LEONARD L. See TANDLER and ROSS, 339

RUBIN, WALTER. Enzyme cytochemistry of gastric parietal cells at a fine structural level. Cytochemical separation of the endoplasmic reticulum from the "tubulovesicles," 332

S

SALPETER, M. M. Electron microscope radioautography as a quantitative tool in enzyme cytochemistry. II. The distribution of DFP-reactive sites at motor endplates of a vertebrate twitch muscle, 122

SATO, HIDEMI. See MALAWISTA and SATO, 596

SCHARFF, RAYMOND. See HENDLER, BURGESS, and SCHARFF, 715

SCHEER, ULRICH, and FRANKE, WERNER W. Negative staining and adenosine triphosphatase activity of annulate lamellae of newt oocytes, 519

SCHICK, LLOYD, and BUTLER, LARRY G. Inorganic pyrophosphatase of rat liver mitochondria. Correlation of latency with catalytic properties and intramitochondrial location, 235

SCHINKO, WERNER. See FRANKE and SCHINKO, 326

SCHNEIDER, IMOGENE. Establishment of three diploid cell lines of *Anopheles stephensi* (Diptera: culicidae), 603

SELIGMAN, KATHRIN. See SHORTMAN and SELIGMAN, 783

SHEA, STEPHEN M. See MAJNO, SHEA, and LEVENTHAL, 647

SHORTMAN, KEN, and SELIGMAN, KATHRIN. The separation of different cell classes from lymphoid organs. III. The purification of erythroid cells by pH-induced density changes, 783

SIMPSON, F. O. See RAYNS, SIMPSON, and LEDINGHAM, 322

SPORN, MICHAEL B. See BERKOWITZ, KAKEFUDA, and SPORN, 851

STÄUBLI, WILLY, HESS, ROBERT, AND WEIBEL, EWALD R. Correlated morphometric and biochemical studies on the liver cell. II. Effects of phenobarbital on rat hepatocytes, 92

—. See WEIBEL, STÄUBLI, GNÄGI, and HESS, 68

STOECKENIUS, WALTHER, and ENGELMAN, DONALD M. Current models for the structure of biological membranes, 613

STONE, G. E. Change in histone/DNA ratio during population growth in *Tetrahymena*, 837

SUTTON-GILBERT, H. See ELKIND, KANO, and SUTTON-GILBERT, 366

SVOBODA, DONALD. See REDDY, BUNYARATVEJ, and SVOBODA, 587

T

TANDLER, BERNARD, and ROSS, LEONARD L. Observations of nerve terminals in human labial salivary glands, 339

TANDLER, CARLOS J. See LIBANATI and TANDLER, 754

THALER, M. M., COX, M. C. L., and VILLEE, C. A.,

JR. Isolation of nuclei from sea urchin eggs and embryos, 846
TILNEY, LEWIS G., and MARSLAND, DOUGLAS. A fine structural analysis of cleavage induction and furrowing in the eggs of *Arbacia punctulata*, 170
TOBEY, R. A. See ENGER and TOBEY, 308
TONGIANI, ROBERTO, and VIOLA-MAGNI, MARIA PIA. II. Differences in adrenal medulla nuclear DNA content among rats of different strains following intermittent exposure to cold, 452
—. See BIBBIANI, TONGIANI, and VIOLA-MAGNI, 444
TOUSTER, OSCAR. See HORVAT, BAXANDALL, and TOUSTER, 469
TRENCH, ROBERT K., GREENE, RICHARD W., and BYSTROM, BARBARA G. Chloroplasts as functional organelles in animal tissues, 404

U

URBAN, PAUL. The fine structure of pronuclear fusion in the coenocytic marine alga, *Bryopsis hypnoides* Lamouroux, 606

V

VAN DER KLOOT, WILLIAM. See MENDELSON, 548
VENKATACHALAM, M. A., and FAHIMI, H. DARIUSH. The use of beef liver catalase as a protein tracer for electron microscopy, 480
VILLEE, C. A., JR. See THALER, COX, and VILLEE, 846
VIOLA-MAGNI, MARIA PIA. See BIBBIANI, TONGIANI, and VIOLA-MAGNI, 444
VIOLA-MAGNI, MARIA PIA. See PELC and VIOLA-MAGNI, 460
—. See TONGIANI and VIOLA-MAGNI, 452

W

WEIBEL, EWALD R., and STÄUBLI, WILLY, GNÄGI, HANS RUDOLF, and HESS, FELIX A. Correlated morphometric and biochemical studies on the liver cell. I. Morphometric model, stereological methods, and normal morphometric data for rat liver, 68
—. See STÄUBLI, HESS, and WEIBEL, 92
WHETSELL, WILLIAM O., JR., and BUNGE, RICHARD P. Reversible alterations in the Golgi complex of cultured neurons treated with an inhibitor of active Na and K transport, 490
WHITTLE, WILBUR. See KRUSE, WHITTLE, and MIEDEMA, 113
WOODARD, JOHN. See GOROVSKY and WOODARD, 673

Y

YATES, ROBERT D. See CHEN and YATES, 794
—. See CHEN, YATES, and DUNCAN, 804
YOUNG, RICHARD W., and BOK, DEAN. Participation of the retinal pigment epithelium in the rod outer segment renewal process, 392

Z

ZACKS, S. I. See KELLY and ZACKS, 135
—. See KELLY and ZACKS, 154
ZIEHER, LUIS MARÍA. See JAIM-ETCHEVERRY and ZIEHER, 855

INDEX TO SUBJECTS

A

Absorption, intestinal, of specific antibodies, in newborn pig, rat, and rabbit, early stages of, cytochemical and immunological and light and EM study, 345

Acatalasemic mouse (Cs^b), treated with CPIB (clofibrate), microbodies (peroxisomes) in liver cells of, biochemical and cytochemical EM study, 587

Actinomycin D, cell killing by in relation to growth cycle of Chinese hamster cells, cytological study, 366

—, meiosis and inhibition of ovulation in mouse eggs treated with, cytological study, 571

Adenosine triphosphatase activity, and negative staining, of annulate lamellae of newt oocytes, biochemical and EM study, 519

Adrenal medulla cells, in rats of different strains, differences in DNA content of nuclei of following intermittent exposure to cold, biochemical and microinterferometric study, 452

— medulla of rat, decrease in labeled DNA in cells of after intermittent exposure to cold, radioautographic study, 460

Alga *Bryopsis hypnoides* Lamouroux, fine structure of pronuclear fusion in, EM study, 606

Alpha-keratin protofibril, cellulose contamination, possible source of error in previous evidence for, EM study, 317

Ameba, *Chaos chaos*, and oocytes from frog *Rana pipiens* and roach *Periplaneta americana*, comparative study of nucleocytoplasmic interactions, light and EM study, 841

Amine biogenic precursors, 3,4-dihydroxyphenylalanine and 5-hydroxytryptophan, effects of on carotid body of hamster, cytochemical and radioautographic light and EM study, 794

Amine-storing granules, of hamster carotid body, effects of reserpine and hypoxia on, cytochemical EM study, 804

Ampullate gland, of spider *Araneus sericatus*, changes in fine structure during silk protein production in, biochemical and light and EM study, 284

Animal tissues, digestive system and anterior portion of mollusc, chloroplasts as functional organelles in, biochemical and histochemical and radioautographic and EM study, 404

Annulate lamellae, of newt oocytes, negative staining and adenosine triphosphatase activity of, biochemical and EM study, 519

— lamellae and "yolk nuclei," in oocytes of dragonfly *Libellula pulchella*, cytochemical light and EM study, 185

Antibiotics, intercalating agents, and growth-limiting oxygen tension, comparison of effect of on mitochondria of obligate aerobe *Candida parapsilosis*, biochemical and EM study, 378

Antibodies, anti-peroxidase, and anti-ferritin, early stages of intestinal absorption of in newborn pig, rat, and rabbit, cytochemical and immunological and light and EM study, 345

Atrium, of cat heart, ultrastructure of muscle of, light and EM study, 46

B

Bacteria, *Bacillus subtilis*, preservation of ultrastructure of by chemical fixation as verified by freeze-etching, EM study, 733

—, *Escherichia coli*, respiration and protein synthesis in membrane-envelope fractions of, oxidative activities with soluble substrates, biochemical and EM study, 715

Beta granule formation in isolated islets of Langerhans, of rat, radioautographic EM study, 695

Bilayer (Danielli) model for structure and function of biological membranes, evidence supporting and opposing, review article, 613

Blood capillaries, of rat intestinal mucosa, structural effects of EDTA and histamine on, EM study, 706

—, of human, and mouse bone marrow, separation of different cell classes from lymphoid organs, purification of erythroid cells by pH-induced density changes, biochemical and radioautographic study, 783

— vessels, of rat cremaster muscle, endothelial contraction of induced by histamine-type mediators, statistical and EM study, 647

Bone marrow, of mouse, and human blood, separation of different cell classes from lymphoid organs, purification of erythroid cells by pH-induced density changes, biochemical and radioautographic study, 783

Brain, of guinea pig, morphological study of coated vesicle isolated from nerve endings of, with special reference to mechanism of membrane movements, EM study, 202

—, of rat, mouse, rabbit, and human, stability of microtubules in homogenates of, EM study, 600

Bridges, side-arm X-ray–induced, in chromosomes of marsupial cells, light and EM study, 827

C

Calcium, energized uptake of, in mitochondria of rat liver, ion-induced ultrastructural transformations, biochemical and EM study, 221

Calf, erythrocytes, stability of after fixation in osmium tetroxide solutions, physical and light and EM study, 565
Capillaries, blood, of rat intestinal mucosa, structural effects of EDTA and histamine on, EM study, 706
Carotid body, of hamster, effects of labeled biogenic amine precursors on, cytochemical and radioautographic light and EM study, 794
— body, of hamster, effects of reserpine and hypoxia on amine-storing granules of, cytochemical EM study, 804
Cat, myocardium, ultrastructure of atrial muscle, light and EM study, 46
—, myocardium, ultrastructure of ventricular papillary muscle, physiological and EM study, 1
Catecholamines and indolamines, demonstration of in carotid body of hamster, cytochemical and radioautographic light and EM study, 794
Cell junctions, contractile material, and organelles, of cat ventricular papillary muscle, ultrastructure of, physiological and EM study, 1
— killing, by actinomycin D, in relation to growth cycle of Chinese hamster cells, cytological study, 366
— lines, three diploid, of mosquito *Anopheles stephensi*, establishment of, cytochemical study, 603
—, liver, of rat, effects of phenobarbital on, correlated morphometric and biochemical studies on, biochemical and stereological EM study, 92
—, liver, of rat, morphometric model and normal morphometric data for, stereological EM study, 68
Cells, Chinese hamster, cell killing by actinomycin D in relation to growth cycle of, cytological study, 366
—, contractile, of cat atrial muscle, ultrastructure of, light and EM study, 46
—, derived from rat kangaroo kidney, ultrastructure of radiation-induced damage to chromosomes of, phase contrast and EM study, 745
—, Ehrlich ascites tumor, isolation of lysosomes from following pretreatment of mice with Triton WR-1339, biochemical and EM study, 469
—, embryonic rat muscle and human lung, human tonsil and pleural effusion isolate, bovine and bat lung, and virus-transformed embryonic human lung, mitotic and nonmitotic multiple-layered perfusion cultures of, radioautographic and cytological study, 113
—, endothelial, in blood vessels of rat cremaster muscle, contraction of induced by histamine-type mediators, statistical and EM study, 647
—, erythroid, of mouse bone marrow, separation of from lymphoid organs, purification of by pH-induced density changes, biochemical and radioautographic study, 783
—, gastric parietal, of rat and human, enzyme cytochemistry of at fine structural level, separation of endoplasmic reticulum from "tubulovesicles," cytochemical EM study, 332
, HeLa, isolation of enzymatically active nuclei of, biochemical and phase contrast and EM study, 851
Cells, HTC, use of Tricine buffer in culture of, cytological study, 320
—, L, ribosome precursor particles in nucleoli of, biochemical study, 272
—, mitotic, of Chinese hamster, increase in rate of RNA synthesis during G_1, biochemical study, 308
—, of adrenal medulla, in rats of various strains, differences in DNA content of nuclei of following intermittent exposure to cold, biochemical and microinterferometric study, 452
—, of *Bacillus subtilis*, preservation of ultrastructure of by chemical fixation as verified by freeze-etching, EM study, 733
—, of liver of acatalasemic mouse treated with CPIB (clofibrate), microbodies (peroxisomes) in, biochemical and cytochemical EM study, 587
—, of maize root tips, distribution of water-soluble inorganic orthophosphate ions in, accumulation in nucleus of, electron probe X-ray microanalytic study, 754
—, of rat adrenal medulla, decrease in labeled DNA in after intermittent exposure to cold, radioautographic study, 460
—, of rat hepatoma (line N1S1-67), grown in suspension culture, choline metabolism and membrane formation in, phosphatidyl choline synthesis during growth cycle, fluctuation of mitochondrial density, biochemical study, 766
—, of rat kangaroo, X-ray induced, side-arm bridges in chromosomes of, light and EM study, 827
—, primary diploid human fibroblasts, cholesterol requirement of, biochemical and histological study, 262
—, red blood, of calf, stability of after fixation in osmium tetroxide solutions, physical and light and EM study, 565
—, visual, of leech *Hirudo medicinalis*, site of origin of electrical responses in, physiological and light and EM study, 241
Cellulose contamination, possible source of error in previous evidence for α-keratin protofibril, EM study, 317
Chemical fixation, preservation of ultrastructure of *Bacillus subtilis* by, as verified by freeze-etching, EM study, 733
Chicken gizzard, and guinea pig taenia coli, ultrastructural studies on contractile mechanism of smooth muscle of, physiological and EM study, 683
Chinese hamster cells, cell killing by actinomycin D in relation to growth cycle of, cytological study, 366
— hamster cells, mitotic, increase in rate of RNA synthesis during G_1, biochemical study, 308
Chloroplast membranes, of bean *Phaseolus vulgaris*, "rough thylakoids," polysomes attached to, EM study, 582
Chloroplasts, functional organelles in animal tissues, biochemical and histochemical and radioautographic and EM study, 404
Cholesterol requirement, of primary diploid human fibroblasts, biochemical and histological study, 262

Choline metabolism and membrane formation, in rat hepatoma cells grown in suspension culture, phosphatidyl choline synthesis during growth cycle and fluctuation of mitochondrial density, biochemical study, 766
Chromosomes, of cells derived from rat kangaroo kidney, ultrastructure of radiation-induced damage to, phase-contrast and EM study, 745
—, of marsupial cells, X-ray–induced side-arm bridges in, light and EM study, 827
Cilia, of *Tetrahymena pyriformis*, properties of model assay for contractility of, biochemical study, 831
Cleavage induction, and furrowing, in eggs of *Arbacia punctulata*, light and EM study, 170
Cold, intermittent exposure of rats of various strains to, differences in adrenal medulla nuclear DNA content, biochemical and microinterferometric study, 452
—, intermittent exposure of rats to, decrease of labeled DNA in cells of adrenal medulla, radioautographic study, 460
Contractile cells, of cat atrial muscle, ultrastructure of, light and EM study, 46
— material, organelles, and cell junctions, of cat ventricular papillary muscle, ultrastructure of, physiological and EM study, 1
— mechanism, of smooth muscle of chicken gizzard and guinea pig taenia coli, physiological and EM study, 683
Contractility, of cilia of *Tetrahymena pyriformis*, properties of model assay for, biochemical study, 831
Cortisone, effect of on volume and total protein content of nuclei of mouse liver, cytological study, 835
CPIB (clofibrate), ethyl-α-*p*-chlorophenoxyisobutyrate, microbodies (peroxisomes) in liver cells of acatalasemic mouse treated with biochemical and cytochemical EM study, 587
Crystals, uniaxial birefringent, induction of by vinblastine in starfish oocytes, polarized light study, 596
Culture of animal cells, use of Tricine buffer in, cytological study, 320

D

Desmosomes, ultrastructure of in mammalian intercalated disc, appearances after lanthanum treatment, EM study, 322
Diisopropylfluorophosphate (DFP)-reactive sites, distribution of at motor endplates of vertebrate twitch muscle, radioautographic EM study, 122
Diploid cell lines, three, of mosquito *Anopheles stephensi*, establishment of, cytochemical study, 603
DNA and histone synthesis, change in ratio of during population growth in *Tetrahymena pyriformis*, biochemical and radioautographic study, 837
—, in nuclei isolated from rat liver, quantitative determination of, interference microscopic study, 444
—, intranucleolar, morphology and replication of in polytene nuclei of salivary glands of *Drosophila melanogaster*, radioautographic and light microscopic study, 575
—, labeled, decrease of in cells of rat adrenal medulla after intermittent exposure to cold, radioautographic study, 460
Dragonfly *Libellula pulchella*, annulate lamellae and "yolk nuclei" in oocytes of, cytochemical light and EM study, 185
Dyads, in muscle fibers of *Ascaris lumbricoides*, ultrastructure of, EM study, 817

E

EDTA, and histamine, structural effects of on blood capillaries of rat intestine, EM study, 706
Eggs and embryos, of sea urchin *Arbacia punctulata*, isolation of nuclei from, light and EM study, 846
—, of *Arbacia punctulata*, fine structural analysis of cleavage induction and furrowing in, light and EM study, 170
—, of mouse, treated with actinomycin D, meiosis and inhibition of ovulation in, cytological study, 571
Ehrlich ascites tumor cells, isolation of lysosomes from following pretreatment of mice with Triton WR-1339, biochemical and EM study, 469
Electrical, and mechanical, characteristics of very fast-acting muscle of lobster, physiological study, 548
— responses, site of origin of in visual cells of leech *Hirudo medicinalis*, physiological and light and EM study, 241
Embryos, and eggs, of sea urchin *Arbacia punctulata*, isolation of nuclei from, light and EM study, 846
Endoplasmic reticulum, separation from "tubulovesicles," enzyme cytochemistry of rat and human gastric parietal cells at fine structural level, cytochemical EM study, 332
Endothelial contraction, in blood vessels of rat cremaster muscle, induced by histamine-type mediators, statistical and EM study, 647
Endplates, motor, of vertebrate twitch muscle, distribution of DFP-reactive sites at, radioautographic EM study, 122
Enzyme activity, of adenosine triphosphatase, and negative staining, of annulate lamellae of newt oocytes, biochemical and EM study, 519
—, beef liver catalase, use of as protein tracer in electron microscopy of mouse liver, kidney, and myocardium, histochemical light and EM study, 480
Enzymes, aryl sulfatase, *N*-acetylglucosaminidase, NADH-cytochrome *c* reductase, and NADPH-cytochrome *c* reductase, intracellular localizations of in Ehrlich ascites tumor cells following pretreatment of mice with Triton WR-1339, biochemical and EM study, 469
—, NADH, NADPH, succinate, malate, isocitrate, glutamate, pyruvate, and α-ketoglutarate oxidases and dehydrogenases, respiration and protein synthesis in *Escherichia coli* membrane-envelope fractions, biochemical and EM study, 715

Epithelium, retinal pigment, of frog, participation of in rod outer segment renewal process, radioautographic light and EM study, 392
Erythrocytes, of calf, stability of after fixation in osmium tetroxide solutions, physical and light and EM study, 565

F

Fibers, muscle, of *Ascaris lumbricoides*, ultrastructure of dyads in, EM study, 817
Fibrils, symmetrical extracellular, in notochord in tail of tadpole *Rana catesbeiana* and in skin of toad *Bufo marinus*, EM study, 418
Fibroblasts, of human, primary diploid, cholesterol requirements of, biochemical and histological study, 262
Freeze-etching, preservation of ultrastructure of *Bacillus subtilis* by chemical fixation as verified by, EM study, 733
Frog, *Rana pipiens*, participation of retinal pigment epithelium in rod outer segment renewal process, radioautographic light and EM study, 392
—, *Rana pipiens* and roach *Periplaneta americana*, oocytes of, and ameba *Chaos chaos*, comparative study of nucleocytoplasmic interactions, light and EM study, 841
Fruitfly, *Drosophila melanogaster*, larval salivary glands, morphology and replication of intranucleolar DNA in polytene nuclei of, radioautographic and light microscopic study, 575
Furrowing, and cleavage induction, in eggs of *Arbacia punctulata*, light and EM study, 170
Fusion, pronuclear, fine structure of, in coenocytic marine alga *Bryopsis hypnoides*, EM study, 606

G

Gastric parietal cells, of rat and human, enzyme cytochemistry of at fine structural level, separation of endoplasmic reticulum from "tubulovesicles," cytochemical EM study, 332
Gizzard, of chicken, and guinea pig taenia coli, ultrastructural studies on contractile mechanism of smooth muscle of, physiological and EM study, 683
Gland, ampullate, of spider *Araneus sericatus*, changes in fine structure during silk protein production in, biochemical and light and EM study, 284
Golgi complex, of cultures of rat and mouse sensory ganglia treated with inhibitor of active Na and K transport, reversible alterations in, light and EM study, 490
Granule formation, in beta cells of isolated islets of Langerhans, of rat, radioautographic EM study, 695
Granules, amine-storing, of hamster carotid body, effects of reserpine and hypoxia on, cytochemical EM study, 804
—, pigment, lipofuscin (aging), of newborn human liver, cytochemical and light and EM study, 253
Growth cycle, of Chinese hamster cells, cell killing by actinomycin D in relation to, cytological study, 366
Guinea pig, brain, morphological study of coated vesicle isolated from nerve endings of, with special reference to mechanism of membrane movements, EM study, 202
—, myocardium, ultrastructure of desmosomes in intercalated disc of, appearances after lanthanum treatment, EM study, 322
— taenia coli, and chicken gizzard, ultrastructural studies on contractile mechanism of smooth muscle of, physiological and EM study, 683

H

Hamster, Chinese, cell killing by actinomycin D in relation to growth cycle of, cytological study, 366
—, Syrian, carotid body, effects of labeled biogenic amine precursors on, cytochemical and radioautographic light and EM study, 794
—, Syrian, carotid body, effects of reserpine and hypoxia on amine-storing granules of, cytochemical EM study, 804
Heart, of cat, ultrastructure of atrial muscle of, light and EM study, 46
—, of cat, ultrastructure of ventricular papillary muscle, physiological and EM study, 1
HeLa cells, isolation of enzymatically active nuclei of, biochemical and phase-contrast and EM study, 851
Hepatoma cells (line N1S1-67), of rat, grown in suspension culture, choline metabolism and membrane formation in, phosphatidyl choline synthesis during growth cycle, fluctuation of mitochondrial density, biochemical study, 766
Histamine, and EDTA, structural effects of on blood capillaries of rat intestine, EM study, 706
—, serotonin, and bradykinin, endothelial contraction in blood vessels of rat cremaster muscle induced by, statistical and EM study, 647
Histogenesis, of rat intercostal muscle, EM study, 135
Histone/DNA ratio, change in during population growth in *Tetrahymena pyriformis*, biochemical and radioautographic study, 837
Homogenates, of mammalian brain, stability of microtubules in, EM study, 600
Human fibroblasts, primary diploid, cholesterol requirement of, biochemical and histological study, 262
—, labial salivary glands, observations of nerve terminals in, EM study, 339
—, newborn, lipofuscin (aging) pigment granules in liver of, cytochemical and light and EM study, 253
—, and rat, gastric parietal cells, enzyme cytochemistry of at fine structural level, separation of endoplasmic reticulum from "tubulovesicles," cytochemical EM study, 332
—, rat, mouse, and rabbit brain, stability of microtubules in homogenates of, EM study, 600
Hypoxia, and reserpine, effects of on amine-storing granules of hamster carotid body, cytochemical EM study, 804

I

Indolamines, and catecholamines, demonstration of in carotid body of hamster, cytochemical and radioautographic light and EM study, 794
Intercalated disc, of guinea pig myocardium, ultrastructure of desmosomes in, appearances after lanthanum treatment, EM study, 322
Intercalating agents, antibiotics, and growth-limiting oxygen tension, comparison of effects of on mitochondria of obligate aerobe *Candida parapsilosis*, biochemical and EM study, 378
Intestinal absorption of specific antibodies, in newborn pig, rat, and rabbit, early stages of, cytochemical and immunological and light and EM study, 345
— mucosa, of rat, structural effects of EDTA and histamine on blood capillaries of, EM study, 706
Ion-induced ultrastructural transformations in isolated mitochondria of rat liver, energized uptake of calcium, biochemical and EM study, 221
Ions, water-soluble inorganic orthophosphate, distribution of within maize root tip cell, accumulation of in nucleus, electron probe X-ray microanalytic study, 754
Islets of Langerhans, of rat, beta granule formation in, radioautographic EM study, 695

K

Kidney, myocardium, and liver, of mouse, use of beef liver catalase as protein tracer in electron microscopy of, histochemical light and EM study, 480
—, of rat kangaroo, ultrastructure of radiation-induced damage to chromosomes of cells derived from, phase contrast and EM study, 745

L

L cells, ribosome precursor particles in nucleoli of, biochemical study, 272
Lanthanum, ultrastructure of desmosomes in mammalian intercalated disc after treatment with, EM study, 322
Leech *Hirudo medicinalis*, site of origin of electrical responses in visual cells of, physiological and light and EM study, 241
Lipid and protein, in biological membranes, current models for configuration of, review article, 613
Lipofuscin (aging) pigment granules, of newborn human liver, cytochemical and light and EM study, 253
Lipoprotein structures in current models for biological membranes, review article, 613
Liver cell, of rat, effects of phenobarbital on, correlated morphometric and biochemical studies on, biochemical and stereological EM study, 92
— cell, of rat, morphometric model and normal morphometric data for, stereological EM study, 68
— cells, of acatalasemic mouse treated with CPIB (clofibrate), microbodies (peroxisomes) in, biochemical and cytochemical EM study, 587
—, kidney, and myocardium, of mouse, use of beef liver catalase as protein tracer in electron microscopy of, histochemical light and EM study, 480
Liver cell, mitochondria, of rat, inorganic pyrophosphatase of, correlation of latency with catalytic properties and intramitochondrial location, biochemical study, 235
—, of mouse, effect of cortisone on volume and total protein content of nuclei of, cytological study, 835
—, of newborn human, lipofuscin (aging) pigment granules in, cytochemical and light and EM study, 253
—, of rat, ion-induced ultrastructural transformations in mitochondria from, energized uptake of calcium, biochemical and EM study, 221
—, of rat, quantitative determination of amount of DNA per nucleus of, interference microscopic study, 444
Lobster *Homarus americanus*, electrical and mechanical characteristics of very fast muscle of, physiological study, 548
— *Homarus americanus*, sarcoplasmic reticulum of unusually fast-acting muscle of, light and EM study, 534
Lymphoid organs, of mouse, purification of erythroid cells from by pH-induced density changes, biochemical and radioautographic study, 783
Lysosomes, isolation of from Ehrlich ascites tumor cells following pretreatment of mice with Triton WR-1339, biochemical and EM study, 469

M

Mechanical, and electrical, characteristics of very fast-acting muscle of lobster, physiological study, 548
Meiosis, and inhibition of ovulation, in mouse eggs treated with actinomycin D, cytological study, 571
Membrane-envelope fractions, of *Escherichia coli*, respiration and protein synthesis in, oxidative activities with soluble substrates, biochemical and EM study, 715
Membrane formation and choline metabolism, in rat hepatoma cells grown in suspension culture, phosphatidyl choline synthesis during growth cycle and fluctuation of mitochondrial density, biochemical study, 766
— movements, mechanism of, with relation to coated vesicle isolated from nerve endings of guinea pig brain, EM study, 202
Membranes, biological, current models for structure of, functional characteristics of, review article, 613
—, chloroplast, of bean *Phaseolus vulgaris*, "rough thylakoids," polysomes attached to, EM study, 582
Mice, pretreated with Triton WR-1339, isolation of lysosomes from Ehrlich ascites tumor cells in, biochemical and EM study, 469
Microbodies (peroxisomes), distribution of in rat nephron, cytochemical light and EM study, 501
— (peroxisomes), in liver cells of acatalasemic mouse

treated with CPIB (clofibrate), biochemical and cytochemical EM study, 587
Microtubules, of mammalian brain, stability of in homogenates, EM study, 600
Mitochondria, of obligate aerobe *Candida parapsilosis*, effects of growth-limiting oxygen tension, intercalating agents and antibiotics on, biochemical and EM study, 378
—, of rat liver, inorganic pyrophosphatase of, correlation of latency with catalytic properties and intramitochondrial location, biochemical study, 235
—, of rat liver, ion-induced ultrastructural transformations in, energized uptake of calcium, biochemical and EM study, 221
Mitosis, in Chinese hamster cells, increase in rate of RNA synthesis during G_1, biochemical study, 308
Molluscs, *Tridachia crispata*, *Tridachiella diomedea*, and *Placobranchus ianthobapsus*, chloroplasts as functional organelles in tissues of, biochemical and histochemical and radioautographic and EM study, 404
Morphometric and biochemical studies, correlation of, effects of phenobarbital on rat liver cells, biochemical and stereological EM study, 92
— model of and normal morphometric data for liver cell of rat, stereological EM study, 68
Mosquito, *Anopheles stephensi*, establishment of three diploid cell lines of, cytochemical study, 603
Motor endplate, of intercostal muscle of fetal, newborn, and 10-day rat, fine structure of morphogenesis of, light and EM study, 154
Mouse, acatalasemic (Cs^b), treated with CPIB (clofibrate), microbodies (peroxisomes) in liver cells of, biochemical and cytochemical EM study, 587
—, bone marrow, and human blood, separation of different cell classes from lymphoid organs, purification of erythroid cells by pH-induced density changes, biochemical and radioautographic study, 783
—, eggs treated with actinomycin D, meiosis and inhibition of ovulation in, cytological study, 571
—, kidney, myocardium, and liver, use of beef liver catalase as protein tracer for electron microscopy of, histochemical light and EM study, 480
—, liver, effect of cortisone on volume and total protein content of nuclei of, cytological study, 835
—, and rat, cultured dorsal root ganglia, treated with inhibitor of active Na and K transport, reversible alterations in Golgi complex of, light and EM study, 490
—, rat, rabbit, and human brain, stability of microtubules in homogenates of, EM study, 600
Muscle, atrial, of cat myocardium, ultrastructure of, light and EM study, 46
—, differentiating, in regenerating limb of newt *Triturus*, neuromuscular junction of, cytochemical light and EM study, 431
—, of rabbit, ultrastructure of sarcoplasmic reticulum preparations, biochemical and positive-staining, negative-staining and freeze-etch EM study, 296
Muscle, atrial "remotor," unusually fast-acting, of lobster antenna, sarcoplasmic reticulum in, light and EM study, 531
—, "remotor," very fast-acting, of lobster antenna, electrical and mechanical characteristics of, physiological study, 548
—, skeletal, intercostal, of fetal and newborn rat, histogenesis of, EM study, 135
—, skeletal, intercostal, of fetal, newborn, and 10-day rat, fine structure of motor endplate morphogenesis of, light and EM study, 154
—, skeletal, of rat, endothelial contraction of blood vessels of induced by histamine-type mediators, statistical and EM study, 647
—, skeletal, of rat, shape of nucleus isolated with different methods in, EM study, 326
—, smooth, of chicken gizzard and guinea pig taenia coli, ultrastructure of contractile mechanism of, physiological and EM study, 683
—, striated, of *Ascaris lumbricoides*, ultrastructure of dyads in, EM study, 817
—, ventricular papillary, of cat myocardium, ultrastructure of, physiological and EM study, 1
Myocardium, kidney, and liver, of mouse, use of beef liver catalase as protein tracer in electron microscopy of, histochemical light and EM study, 480
—, of guinea pig, ultrastructure of desmosomes in intercalated disc of, appearances after lanthanum treatment, EM study, 322

N

Nephron, of rat, distribution of peroxisomes (microbodies) in, cytochemical light and EM study, 501
Nerve endings, of guinea pig brain, morphological study of coated vesicle isolated from, with special reference to mechanism of membrane movements, EM study, 202
— terminals, in human labial salivary glands, EM study, 339
— tissue, cervical ganglion, median eminence, and suprachiasmatic nucleus, and pineal gland, and vas deferens, of rat, selective demonstration of type of synaptic vesicle in by phosphotungstic acid staining, EM study, 855
Neuromuscular junction, of differentiating muscle in regenerating limb of newt *Triturus*, cytochemical light and EM study, 431
— junction, of intercostal muscle of fetal, newborn, and 10-day rat, fine structure of morphogenesis of, light and EM study, 154
Neurons, cultured, of rat and mouse ganglia, treated with inhibitor of active Na and K transport, reversible alterations in Golgi complex of, light and EM study, 490
Newt, *Triturus alpestris*, negative staining and adenosine triphosphatase activity of annulate lamellae of oocytes of, biochemical and EM study, 519
—, *Triturus viridescens*, neuromuscular junction of differentiating muscle in regenerating limb of, cytochemical light and EM study, 431
Notochord, in tail of tadpole *Rana catesbeiana*, and skin

of toad *Bufo marinus*, symmetrical extracellular fibrils in, EM study, 418
Nuclei, enzymatically active, of HeLa cells, rapid method for isolation of, biochemical and phase-contrast and EM study, 851
—, micro- and macro-, of *Tetrahymena pyriformis*, RNA synthesis in, radioautographic light and EM study, 673
—, of adrenal medulla cells, in rats of various strains, differences in DNA content in following intermittent exposure to cold, biochemical and microinterferometric study, 452
—, of eggs and embryos from sea urchin *Arbacia punctulata*, isolation of, light and EM study, 846
—, of mouse liver, effect of cortisone on volume and total protein content of, cytological study, 835
—, polytene, in salivary glands of *Drosophila melanogaster*, morphology and replication of intranucleolar DNA in, radioautographic and light microscopic study, 575
Nucleocytoplasmic interactions, comparative study of in ameba *Chaos chaos* and oocytes of frog *Rana pipiens* and roach *Periplaneta americana*, light and EM study, 841
Nucleolus, of L cell, ribosome precursor particles in, biochemical study, 272
—, of polytene nuclei in salivary glands of *Drosophila melanogaster*, morphology and replication of DNA in, radioautographic and light microscopic study, 575
Nucleus, of maize root tip cell, accumulation of water-soluble inorganic orthophosphate ions in, electron probe X-ray microanalytic study, 754
—, of rat liver cell, quantitative determination of DNA in, interference microscopic study, 444
—, of rat skeletal muscle, isolated with different methods, ultrastructural shape of, EM study, 326

O

Oocytes, from frog *Rana pipiens* and roach *Periplaneta americana*, and ameba *Chaos chaos*, comparative study of nucleocytoplasmic interactions, light and EM study, 841
—, of dragonfly *Libellula pulchella*, annulate lamellae and "yolk nuclei" in, cytochemical light and EM study, 185
—, of newt, negative staining and adenosine triphosphatase activity of annulate lamellae of, biochemical and EM study, 519
—, of starfish, induction by vinblastine of uniaxial birefringent crystals in, polarized light study, 596
Osmium tetroxide solutions, stability of calf erythrocytes fixed in, physical and light and EM study, 565
Ouabain, inhibitor of active Na and K transport, reversible alterations in Golgi complex of cultured neurons treated with, light and EM study, 490
Ovulation, inhibition of, and meiosis, in mouse eggs treated with actinomycin D, cytological study, 571
Oxygen tension, growth-limiting, and intercalating agents, and antibiotics, comparison of effects of on mitochondria of obligate aerobe *Candida parapsilosis*, biochemical and EM study, 378

P

Particles, ribonucleoprotein, ribosome precursor in, in nucleoli of L cells, biochemical study, 272
Perfusion culture, of rat, human, bovine, and bat cells, formation of mitotic and nonmitotic multiple-layers, radioautographic and cytological study, 113
Peroxisomes (microbodies), distribution of in rat nephron, cytochemical light and EM study, 501
—, (microbodies), in liver cells of acatalasemic mouse treated with CPIB (clofibrate), biochemical and cytochemical EM study, 587
Phenobarbital, effects of on rat liver cell, correlated morphometric and biochemical studies on, biochemical and stereological EM study, 92
Phosphate ions, water-soluble inorganic, distribution of within maize root tip cell, accumulation of in nucleus, electron probe X-ray microanalytic study, 754
Phosphotungstic acid staining, selective demonstration of type of synaptic vesicle in pineal gland, vas deferens, and nerve tissue of rat by, EM study, 855
Pig, rat, and rabbit newborn, early stages of intestinal absorption of specific antibiodies in, cytochemical and immunological and light and EM study, 345
Pigment epithelium, of frog retina, participation of in rod outer segment renewal process, radioautographic light and EM study, 392
— granules, lipofuscin (aging), of newborn human liver, cytochemical and light and EM study, 253
Pineal gland, vas deferens, and nerve tissue, of rat, selective demonstration of type of synaptic vesicle in by phosphotungstic acid staining, EM study, 855
Plant, bean *Phaseolus vulgaris*, "rough thylakoids," polysomes attached to chloroplast membranes of, EM study, 582
—, maize root tip cells, distribution of water-soluble inorganic orthophosphate ions in, accumulation in nucleus of, electron probe X-ray microanalytic study, 754
Polysomes attached to chloroplast membranes, "rough thylakoids," of bean *Phaseolus vulgaris*, EM study, 582
Potassium, and sodium active transport, reversible alterations in Golgi complex of cultured neurons treated with inhibitor of, light and EM study, 490
Pronuclear fusion, fine structure of, in coenocytic marine alga *Bryopsis hypnoides*, EM study, 606
Protein content, and volume, of nuclei of mouse liver, effect of cortisone on, cytological study, 835
— and lipid, in biological membranes, current models for configuration of, review article, 613
—, silk, in ampullate gland of spider *Araneus sericatus*,

changes in fine structure during production of, biochemical and light and EM study, 284
Protein synthesis, and respiration, in *Escherichia coli* membrane-envelope fractions, oxidative activities with soluble substrates, biochemical and EM study, 715
— tracer for electron microscopy, use of beef liver catalase as, in mouse liver, kidney, and myocardium, histochemical light and EM study, 480
Protofibril, α-keratin, cellulose contamination, possible source of error in previous evidence for, EM study, 317
Protozoan, *Tetrahymena pyriformis*, change in histone/DNA ratio during population growth in, biochemical and radioautographic study, 837
—, *Tetrahymena pyriformis*, properties of model assay for contractility of cilia of, biochemical study, 831
—, *Tetrahymena pyriformis*, RNA synthesis in macro- and micronuclei of, radioautographic light and EM study, 673
Pyrophosphatase, inorganic, of rat liver mitochondria, correlation of latency with catalytic properties and intramitochondrial location, biochemical study, 235

R

Rabbit, muscle, ultrastructure of sarcoplasmic reticulum preparations, biochemical and positive-staining, negative-staining and freeze-etch EM study, 296
—, pig, and rat newborn, early stages of intestinal absorption of specific antibodies in, cytochemical and immunological and light and EM study, 345
—, rat, mouse, and human brain, stability of microtubules in homogenates of, EM study, 600
Radiation-induced damage to chromosomes of cells derived from rat kangaroo kidney, phase-contrast and EM study, 745
Radioactive label, ^{45}calcium, ion-induced ultrastructural transformations in isolated mitocondria of rat liver, energized uptake of calcium, biochemical and EM study, 221
— —, cytosine triphosphate-^{3}H, rapid method for isolation of enzymatically active HeLa cell nuclei, biochemical and phase-contrast and EM study, 851
— —, 3,4-dihydroxyphenylalanine-^{3}H and 5-hydroxytryptophan-^{3}H, effects of labeled biogenic amine precursors on carotid body of hamster, cytochemical and radioautographic light and EM study, 794
— —, diisopropylfluorophosphate-^{3}H, distribution of DFP-reactive sites at motor endplates of vertebrate twitch muscle, radioautographic EM study, 122
— —, ferric citrate-^{59}Fe, separation of different cell classes from lymphoid organs, purification of erythroid cells by pH-induced density changes, biochemical and radioautographic study, 783
— —, leucine-^{14}C, comparison of effects of growth-limiting oxygen tension, intercalating agents, and antibiotics on mitochondria of obligate aerobe *Candida parapsilosis*, biochemical and EM study, 378
Radioactive label, leucine-^{3}H and tyrosine-^{3}H, beta granule formation in isolated islets of Langerhans, of rat, radioautographic EM study, 695
— —, methionine-^{3}H, leucine-^{3}H, and phenylalanine-^{3}H, participation of retinal pigment epithelium in rod outer segment renewal process, in frog, radioautographic light and EM study, 392
— —, methionine-methyl-^{14}C and uridine-^{3}H, increase in rate of RNA synthesis during G_1, in Chinese hamster cells, biochemical study, 308
— —, methyl-^{14}C-choline and methyl-^{3}H-choline, choline metabolism and membrane formation in rat hepatoma cells, phosphatidyl choline synthesis during growth cycle, fluctuation of mitochondrial density, biochemical study, 766
— —, sodium bicarbonate-^{14}C, chloroplasts as functional organelles in animal tissues, biochemical and histochemical and radioautographic and EM study, 404
— —, thymidine-^{3}H, decrease of labeled DNA in cells of rat adrenal medulla after intermittent exposure to cold, radioautographic study, 460
— —, thymidine-^{3}H, leucine-^{3}H, and lysine-^{3}H, change in histone/DNA ratio during population growth, in *Tetrahymena pyriformis*, biochemical and radioautographic study, 837
— —, thymidine-^{3}H, mitotic and nonmitotic multiple layered perfusion cultures of rat, human, bovine, and bat cells, radioautographic and cytological study, 113
— —, thymidine-^{3}H, morphology and replication of intranucleolar DNA in polytene nuclei, in salivary glands of *Drosophila melanogaster*, radioautographic and light microscopic study, 575
— —, uridine-^{3}H, ribosome precursor particles in nucleoli of L cells, biochemical study, 272
— —, uridine-^{3}H, RNA synthesis in macro- and micronuclei of *Tetrahymena pyriformis*, radioautographic light and EM study, 673
Rat, adrenal medulla, decrease in labeled DNA in cells of after intermittent exposure to cold, radioautographic study, 460
—, cremaster muscle blood vessels, endothelial contraction of induced by histamine-type mediators, statistical and EM study, 647
—, fetal, newborn, and 10-day, intercostal muscle, fine structure of motor endplate morphogenesis of, light and EM study, 154
—, fetal and newborn, intercostal muscle, histogenesis of, EM study, 135
—, hepatoma cells, grown in suspenson culture, choline metabolism and membrane formation in, phosphatidyl choline synthesis during growth cycle, fluctuation of mitochondrial density, biochemical study, 766
—, and human, gastric parietal cells, enzyme cytochemistry of at fine structural level, separation of endoplasmic reticulum from "tubulovesicles," cytochemical EM study, 332
—, intestinal mucosa, structural effects of EDTA and histamine on blood capillaries of, EM study, 706

Rat, islets of Langerhans, beta granule formation in, radioautographic EM study, 695
— kangaroo cells, subchromatid organization in chromosomes of, X-ray–induced side-arm bridges, light and EM study, 827
—, kangaroo kidney cells, ultrastructure of radiation-induced damage to chromosomes of, phase-contrast and EM study, 745
—, liver cell, effects of phenobarbital on, correlated morphometric and biochemical studies on, biochemical studies on, biochemical and stereological EM study, 92
—, liver cell, morphometric model and normal morphometric data for, stereological EM study, 68
—, liver mitochondria, inorganic pyrophosphatase of, correlation of latency with catalytic properties and intramitochondrial location, biochemical study, 235
—, liver mitochondria, ion-induced ultrastructural transformations in, energized uptake of calcium, biochemical and EM study, 221
—, liver, quantitative determination of amount of DNA per nucleus of, interference microscopic study, 444
—, and mouse, cultured dorsal root ganglia, treated with inhibitor of active Na and K transport, reversible alterations in Golgi complex of, light and EM study, 490
—, mouse, rabbit, and human brain, stability of microtubules in homogenates of, EM study, 600
—, nephron, distribution of peroxisomes (microbodies) in, cytochemical light and EM study, 501
—, pig, and rabbit newborn, early stages of intestinal absorption of specific antibodies in, cytochemical and immunological and light and EM study, 345
—, pineal gland, vas deferens, cervical ganglion, median eminence, and suprachiasmatic nucleus, selective demonstration of type of synaptic vesicle in by phosphotungstic acid staining, EM study, 855
—, skeletal muscle, shape of nucleus isolated with different methods in, EM study, 326
—, strains Wistar, Sprague-Dawley, Long-Evans, and Italico, adrenal medulla cells, differences in DNA content of nuclei of following intermittent exposure to cold, biochemical and microinterferometric study, 452
Regeneration of forelimb of newt *Triturus*, neuromuscular junction in differentiating muscle, cytochemical light and EM study, 431
Reserpine, and hypoxia, effects of on amine-storing granules of hamster carotid body, cytochemical EM study, 804
Respiration, and protein synthesis, in *Escherichia coli* membrane-envelope fractions, oxidative activities with soluble substrates, biochemical and EM study, 715
Retina, of frog eye, participation of pigment epithelium of in rod outer segment renewal process, radioautographic light and EM study, 392
Ribosome precursor particles, in nucleoli of L cells, biochemical study, 272
RNA, increase in rate of synthesis during G_1, in mitotic Chinese hamster cells, biochemical study, 308
— synthesis, in macro- and micronuclei of *Tetrahymena pyriformis*, radioautographic light and EM study, 673
Roach, *Periplaneta americana*, and frog *Rana pipiens*, oocytes of, and ameba *Chaos chaos*, comparative study of nucleocytoplasmic interactions, light and EM study, 841
Rod, of frog eye, participation of retinal pigment epithelium in outer segment renewal process in, radioautographic light and EM study, 392
Root tip cells, of maize, distribution of water-soluble inorganic orthophosphate ions in, accumulation in nucleus of, electron probe X-ray microanalytic study, 754

S

Salivary glands, labial, of human, observations of nerve terminals in, EM study, 339
— glands, of *Drosophila melanogaster*, morphology and replication of intranucleolar DNA in polytene nuclei of, radioautographic and light microscopic study, 575
Sarcoplasmic reticulum, of unusually fast-acting muscle, of lobster, light and EM study, 534
— reticulum preparations, fragmented, of rabbit muscle, ultrastructure of, biochemical and positive-staining, negative-staining, and freeze-etch, EM study, 296
Sea urchin *Arbacia punctulata*, eggs and embryos, isolation of nuclei from, light and EM study, 846
—*Arbacia punctulata*, fine structural analysis of cleavage induction and furrowing in eggs of, light and EM study, 170
Silk protein, in ampullate gland of spider *Araneus sericatus*, changes in fine structure during production of, biochemical and light and EM study, 284
Skin, of toad *Bufo marinus*, and notochord in tail of tadpole *Rana catesbeiana*, symmetrical extracellular fibrils in, EM study, 418
Sodium, and potassium active transport, reversible alterations in Golgi complex of cultured neurons treated with inhibitor of, light and EM study, 490
Spider *Araneus sericatus*, changes in fine structure during silk protein production in ampullate gland of, biochemical and light and EM study, 284
Starfish, *Pisaster ochraceous*, induction by vinblastine of uniaxial birefringent crystals in oocytes of, polarized light study, 596
Subunit model for structure, function, and assembly of biological membranes, evidence supporting and opposing, review article, 613
Synaptic vesicle, in pineal gland, vas deferens, and nerve tissue of rat, selective demonstration of by phosphotungstic acid staining, EM study, 855

T

Tadpole *Rana catesbeiana*, and toad *Bufo marinus*, symmetrical extracellular fibrils in notochord in tail of, EM study, 418

Taenia coli, of guinea pig, and chicken gizzard, ultrastructural studies on contractile mechanism of smooth muscle of, physiological and EM study, 683
Thylakoids, rough, polysomes attached to chloroplast membranes of bean *Phaseolus vulgaris*, EM study, 582
Tissues, digestive system and anterior portion of mollusc, chloroplasts as functional organelles in, biochemical and histochemical and radioautographic and EM study, 404
Toad *Bufo marinus*, and tadpole *Rana catesbeiana*, symmetrical extracellular fibrils in skin of, EM study, 418
Tricine buffer (*N*-Tris(hydroxymethyl)-methylglycine), use of in animal cell cultures, cytological study, 320
Triton WR-1339, isolation of lysosomes from Ehrlich ascites tumor cells following pretreatment of mice with, biochemical and EM study, 469
"Tubulovesicles," separation from endoplasmic reticulum, enzyme cytochemistry of rat and human gastric parietal cells at fine structural level, cytochemical EM study, 332

V

Vas deferens, pineal gland, and nerve tissue, of rat, selective demonstration of type of synaptic vesicle in by phosphotungstic acid staining, EM study, 855
Ventricle, of cat heart, ultrastructure of papillary muscle of, physiological and EM study, 1
Vertebrate twitch muscle, distribution of DFP-reactive sites at motor endplates of, radioautographic EM study, 122
Vesicle, coated, isolated from nerve endings of guinea pig brain, morphological study of, with special reference to mechanism of membrane movements, EM study, 202
—, synaptic, in pineal gland, vas deferens, and nerve tissue of rat, selective demonstration of by phosphotungstic acid staining, EM study, 855
Vinblastine, induction by of uniaxial birefringent crystals in starfish oocytes, polarized light study, 596
Visual cells, of leech *Hirudo medicinalis*, site of origin of electrical responses in, physiological and light and EM study, 241

W

Worm, *Ascaris lumbricoides*, ultrastructure of dyads in mucles fibers of, EM study, 817

X

X-ray–induced side-arm bridges, in chromosomes of marsupial cells, light and EM study, 827

Y

Yeast, obligate aerobe *Candida parapsilosis*, comparison of effects of growth-limiting oxygen tension, intercalating agents, and antibiotics on mitochondria of, biochemical and EM study, 378
"Yolk nuclei," and annulate lamellae, in oocytes of dragonfly *Libellula pulchella*, cytochemical and light and EM study, 185